


Animal tissues



We had learned about plant tissues in the earlier chapter. Do animals also have the four major groups of tissues as in plants? To study about the animal tissue we can take examples of tissues present in some animals that we see around us. In the chapter on plant tissues we observed that different types of functions were carried out by different tissues. We will try to see whether this happens in animals also.

We know that different organ systems work to carry out different functions.

Enlist them:

1.
 2.
 3.
- Do some tissues help the organs to carry out their functions?
 - How do they do so? Discuss with your friends and write.

There are different kinds of tissues in the animals to perform different functions like plant tissues. Some tissues cover and protect the body. Some tissues helps in the movement which is performed by muscles and bones and other types of tissues make connection between these

two tissues. Some tissues carry information like responses.

We will try to learn more about the tissues by doing the following activities.



Lab Activity

Aim: Identification of tissue in collected sample.

Apparatus: Microscope, slide, dil HCl, forceps, brush.

Procedure: Collect a small piece of chicken with bone from your nearby chicken centres or market.

For observing each type of tissue, you need to follow specific procedure. After completion of every activity, do not forget to draw the diagram and answer and discuss the questions.

- Put it in dilute HCl for two hours.
- Take the skin part of chicken peice.
- Place the material with forceps or brush on the slide.
- Then keep the another slide on it and press both gently.
- Observe under microscope
- Draw the diagram of what you observe under microscope in your

note book. Compare your diagram with the following picture.




Fig-1 Epithelial Tissue

Now try to find out the answers.

- Are all the cells similar?
- How are they arranged.
- Are these cells tightly packed and formed as continuous sheath?
- Is there any inter cellular space?
- Think, why these cells look like continuous sheath?
- Does this tissue covering protect inside and outside of the animal body?

Procedure - 2

- Take a sterilized syringe needle.
- Collect one drop of blood from finger tip by pricking with syringe needle. (Under guidance of teacher)
- Take a slide. Keep the finger on the slide to collect one drop of blood
- Put another slide on it gently and press both sides.
- Observe under microscope
- Draw the diagram of what you observe under microscope in your note book. Compare your diagram with the following picture.




Fig-2 Blood

Now try to find out the answers.

- What you observe?
- Are all cells in your blood sample are same?
- Is there any fluid like substance?
- While making a blood slide, sometimes air bubbles also formed. It may confuse you. Do not be hurry to observe.
- Do you agree that blood is also a tissue?

Procedure - 3

- Take a piece of muscle of chicken which is collected for activity-1.
- Put in diluted HCl or vinegar and leave it for two hours.
- Next morning collect the piece of muscle on a slide with forceps.
- Put another slide on it and press both sides gently.
- Observe under microscope.
- Draw the diagram of what you observe under microscope in your note book. Compare your diagram with the following picture.




Fig-3 Muscle

Now try to find out the answers.

- How are the cells arranged?
- Do you find any difference between skin cells and muscle cells?
- If you want to observe the bone tissue in the chicken bone, settle it in vinegar or diluted HCl over night. It is better to do this one day before your discussion in the class. Then only the bone becomes soft. Take a piece from it by using knife.
- Do you find any relation among these tissues?
- Is this tissue useful for movements in our body?

There are four types of tissues in the animals

- Covering or protecting tissue, inside or outside of animal body, is epithelial tissue.
- A loosely spaced and imbedded in intra cellular matrix which makes connection between organs is called Connective Tissue.
- The tissue which is responsible for movements in our body is known as muscular tissue.
- A specialized tissue that responds to internal, external stimuli, nerves tissue.

- Are the functions of all the above tissues the same?

Let us study about tissue in our body.

Epithelial Tissue:

(Epi means-Outer, Thelium means-Tissue)

Epithelial tissues are present in the skin, lining of mouth, lining of blood vessels, lung alveoli and kidney tubules.

Activity-1

Collect the substance lining of mouth by using wooden spoon and observe this under microscope. Draw the diagram that you observed in the microscope, in your note book.

- How are the cells arranged
- Are there any inter cellular spaces?

The epithelial tissue, extremely thin and flat, form a delicate lining. This is called as squamous epithelium. We find this type of epithelium in oesophagus, lining of mouth, lining of blood vessels, lung alveoli where transportation of substances selectively occurs through permeable membrane (you will learn about permeability next chapter transportation substance through plasma membrane).




Fig-4 Squamous Epithelium

The epithelial cells in skin are arranged in the form of layers. This is called as stratified squamous epithelium.

- Think, why are the epithelial cells in skin arranged in the form of layers?
- If you drink hot tea or chilled cool drink, how would you feel?
- If your skin burns or wounded which tissue would effected.

Activity-2

Take a permanent slide of cuboidal epithelium from your laboratory slide box and observe under microscope. Draw the picture in your note book. How are the cells arranged?



Fig-5 Cuboidal Epithelium

These are the cuboidal epithelial cells form the lining of kidney tubules. The ducts of salivary glands were providing mechanical support.



Do you know?

Sometimes a portion of epithelial tissue folds inward and formed a multi cellular gland. Hence it is called as granular epithelium.

Activity-3

Take a permanent slide of columnar epithelium from the slide box and observe under microscope.




Fig-6 columnar epithelium

- Draw the figure that you observed under microscope
- How are the cells? Do you find any hair like projections on the outer surface of epithelial cells.

These types of cells are present where absorption and secretion occurs. Try to think where do this type of epithelial tissues present in your body?

Do you know?The skin is also a kind of epithelial tissue. Where does nails, and hair grow from. The scales of fishes, reptiles and feathers of birds also grow from epithelium. These are modified epithelial cells. You learn more about them in the chapter: Adoption in Ecosystem.

Connective tissue

If you tilt any part of your body, what will happen to internal organs? Is there any displacement? The internal organs located at specific places ,because there is no displacemet in organs due to connective tissues. They connect organs and muscles.

These tissues are called connective tissue.

Connective tissues help in binding the other tissues and organs together and provide a frame work and support to various organs in the body. These tissues also play a major role in the transport of material from one tissue to another. They also help in the body defence, body repair and storage of fat. There are different types of connective tissues, each performing a different function.

How do glass wear items carry for longer distance?

Areolar tissue is one type of connective tissue which joins different tissues. It helps in packing and helps to keep the organs in place. These cells are called fibroblasts. These are the major components in this type of connective tissue. These cells secrete fibrous material which holds the other tissue in position. These cells also help in repair of the tissues when they are injured.

Mat cell




Fig-7 Areolar Tissue

The muscle in our body is attached to the skin and bone by this type of tissue. We can see this type of tissue around blood vessels and nerve.

Why do old people shiver in winter when compared to youngsters? Is there any insulator like substance to prevent the escape of heat energy during winter?

Fat storing adipose tissue is found below the skin and between internal organs. The cells of this tissue are filled with fat globules. Storage of fat also acts as insulator.




Fig-8 Adipose tissue

Are all tissues in our body smooth and soft?

Which tissue gives definite shape to body of vertebrae?

Bone is another type of connective tissue; it forms the frame work that supports the body. It is a major component of the skeletal system of several vertebrae (except some fishes like sharks).

Do you know?

Bone is made of calcium phosphate and calcium carbonate. These salts are secreted by cells called osteocytes. These cells are present in the central hollow portion of the bone called bone marrow.




Fig-9 Bone




Fig-10 Osteocyte (bone cells)

Cartilage is a type of connective tissue found in the joints of bones, tip of ribs tip of the nose, external ears and in trachea. Embryos of several vertebrae do not have bone but have cartilage. The entire skeleton of fishes like sharks is made of cartilage. Cartilage is hard but not as hard as bone.



Fig-11 Cartilage

How two bones are connected at joints?

Ligament is yet another type of connective tissue that connects bones at the joints and holds them in position. It is made up of large number of fibres. These fibres are made of a protein called collagen. This is very elastic in nature.

You know that, body movement is because of muscles with the help of bones. How muscles are attached to bones?

Tendon is a type of connective tissue which is also made of fibres.

The tendon joins the muscle to the bone. It is also made of collagen.



Think and discuss

Blood is a type of connective tissue. Why would it be called connective tissue?

Activity-4

Invite a scientist or doctor to your place. Record an interview about blood structure and its functions. It is important to make a questionnaire in order to conduct interview. After completion of interview, prepare a booklet about blood and display it on bulletin board or class room library.

It differs from other types of connective tissues. There are different types of cells in blood and each one has a different function. All the cells in the blood cells float freely in the plasma. Extra cellular space is filled with fluid called plasma. There are no fibres in blood.




Fig-12 Blood cells

Story of blood

Recall the activity 2. Blood is also a tissue which is having different components. Let us know more about blood.

There is red stream that flows in closed canals in our body. Think what is it?

The red stream that flows in closed tubes in our body is blood. It is also a type of connective tissue. Blood explains many things about us. Blood is the source to identify our wellness or illness. It is very interesting to know about blood current in our body. There is highly sophisticated and well developed mechanism to circulate the blood to the entire body. Our heart pumps the blood 36 thousand liters of blood in the distance of 20 thousand kilometers in the time period of 24 hours. Blood is red in colour. Animals can not be our relatives. Do you agree with the statement that animals with red coloured blood. The blood is always not red in all animals. The cockroach has white blood where as there is blue coloured blood in snail. It is really a wonder that blood appears in different colours.

Normal adult human beings have about 5 litres of blood. A chief component in plasma is water.

Besides water, it also has several nutrients such as glucose, amino acids, proteins, vitamins and hormones etc. required for the body and excretory products such as lactic acid, urea, salts etc. Plasma also contains factors responsible for blood clotting. Herarine helps to prevent blood clotting in blood vessels.

Cells present in blood are corpuscles. They are three types 1. RBC 2. WBC 3. Blood platelets.

Red blood cells also known as erythrocytes are red in colour. They have red coloured protein called haemoglobin. Because of haemoglobine blood is red in colour, which helps in the transport of oxygen and carbon dioxide 1ml of human blood has about 5 millions of red blood cells which live for 120 days in blood.

We can make a chain of red blood cells around the earth at equator with 7 circles. When you are in mother's womb your RBC are formed in the liver and spleen. After your birth these RBC are generated from the bone marrow of long bone. All mammals except camel and Ulama have red blood cells without nucleus.

The second type of cells present in blood are white blood cells. These cells do not have haemoglobin, hence they are colourless cells or leucocytes. These cells are less in number when compared to the RBC. There are two types - granulocytes and agranulocytes.

There are three types of cells in the granulocytes - Neutrophils, Basophils and Esinophils. These cells attack and destroy the microorganisms that enter the blood.

Some white blood cells sacrifice their life to fight against external enemy (micro organisms). These dead WBC come out of wound. This is generally called 'pus'.

There are two types of agranulocytes lymphocytes and monocytes. Lymphocytes secret anti - bodies to guard against foreign material that enter into blood. So they are

called microscopic policemen. Monocytes move like amoeba and along with granulocytes. They attack the foreign materials and engulf them. The foreign materials are destroyed inside these cells. They are called as ‘scavengers’.

Blood platelets are a separate group of cells which do not have a nucleus. They are disk like projections. Whenever a blood vessel is injured, platelets accumulate at the site of injury and help in the formation of a blood clot. The clot seals the wound in blood vessels and prevents further blood loss.

“Your sisters and brothers are not your relatives”. This shocks you! Land Steiner, a German doctor, found a new blood relation among us. He divided human beings in to four major groups. They are A, B, AB and O. The person who lives on another side of the globe is same with same your blood group is also blood relative. Do you agree this? AB group human beings can receive the blood from any other groups. Hence they are called as universal recipients. ‘O’ group people can donate the blood to any other group. So these people are known as universal donors.



Lab Activity

Find your blood relations:

Let us find out your blood relatives in your class. For this we need a kit (That is available in your school lab.) to find out your blood group.

Aim : Identification of Blood Group

Apparatus : Blood Identification Kit, Glass Slide, Wax Pencil, Disposal Needle.

Kit Components and Storage

All the reagents should be stored at 2-8°C when not in use.

| Sl No | Components | Quantity (100 tests) |
|-------|-----------------------|----------------------|
| 1 | anti-A sera | 5 ml |
| 2 | anti-B sera | 5 ml |
| 3 | anti-RhD sera | 5 ml |
| 4 | porciline white plate | 2 |
| 5 | Wax pencil | 1 |
| 6 | Needle (24G) | 100 |
| 7 | Instruction manual | 1 |

Materials Required (not included in the kit):

Cotton, 70% alcohol, toothpicks.

Procedure:

1. Take one porciline plate, clean and dry it. The plate must be very clean so that it does not interfere with the reaction.
2. With a wax pencil, draw three circles on the plate to divide the surface into three parts and draw three circles, one in each part as shown in Figure 1.




Fig-13 Template on a porciline plate for blood grouping.

- Place one drop of the corresponding antiserum (at room temperature) near the edge but within each of the circles as shown in Figure 2.




Fig-14 Addition of anti-sera on the glass slide.

- Choose a finger (usually left ring finger). Clean this fingertip with an alcohol in a cotton ball and let it dry. Keep the cotton ball nearby, as it is needed again. Dangle the hand down to increase the amount of blood in the fingers.
- Press on the bottom of the fingertip with the thumb of the same hand (to help hold blood in the fingertip) and quickly prick the fingertip with the help of a needle.

Note: The needle is sterile, so do not touch the tip with anything before using it.

- Quickly, let one drop of blood get into each circle but not touching the anti-sera. Do not touch any of the anti-sera.
- After putting three drops of blood, apply gentle pressure to the wound with cotton ball.
Remember to properly dispose the used needle.
- Use a toothpick to mix the blood and antiserum and stir gently. Do it for each of the circles using a fresh

toothpick every time. The wax pencil circle will help to keep the sample isolated.

- Watch to see if any of the samples show agglutination. The agglutination will appear as the grainy clumps of red blood cells (RBCs) suspended in a clear solution. Rh is slower to agglutinate, so do not give up too soon.




Fig-15 Blood added on the glass slide.

Result and inference :

Determine the blood type depending on the result. Following table can be used to determine the blood type:

Table: Determination of blood group (type).

| Anti-A | Anti-B | Type |
|--------|--------|------|
| Yes | No | A |
| No | Yes | B |
| Yes | Yes | AB |
| No | No | O |

Independent of whether agglutination occurs in anti-A and anti-B sera, clumping may or may not occur in anti-RhD serum. If agglutination occurs in anti-RhD serum, the Rh factor is positive; and if it does not, the Rh factor is negative.

Result should Note in the given table

| Sl.No | Name | Blood Group |
|-------|------|-------------|
| | | |
| | | |
| | | |
| | | |


Note: While taking blood samples don't use same needle for all. It is very dangerous. It spreads different diseases. You should use disposable needles for each pupil. It is better to conduct such kind of test only with the help of Health Inspector.

Muscle Tissue:


If you are wounded deeply, a deep scar would form along with ditch? If we are wounded on skin, a lighter scar would form. Why? The skin cells have regenerating character. Think about the muscle cell. Will they get regenerated like epithelial cells?

Muscles are responsible for the movements of hands and legs and also of several internal organs such as intestine and heart. Small amounts of muscle tissues also present in blood vessels. These helps in increasing or decreasing the diameter of the blood vessel and thus the blood flows. Heart is made of only one type muscle cells and they help in pumping the blood.


How do muscles contract and relax?



Striated muscles



Non-striated muscles



Cardiac muscles

Fig-16

Muscular tissue consists of elongated cells called muscle fibres. This tissue is responsible for movement in our body. Muscles contain special protein called contractile proteins which contract and relax to cause movement.

During winter, body shivers. Why?

When the body is exposed to cold air, we shiver. During shivering muscles contract and relax producing large amount of heat. This keeps the body heat.

Based on their structure, location and function, muscles are three types. They are striated muscle, non-striated muscle, cardiac muscle.

We can move some muscles by our conscious effort. For example the muscle present in inner limbs move when we want them to, and stop when so decide. Such muscles are called voluntary muscle. These muscles also called as skeletal muscles as they are mostly attached to bones and help body movement; these muscles show alternate light and dark bands or striations. As a result, they are also called striated muscle. The cells of this tissue are long, cylindrical, un branched and having many nuclei in the body (multi nucleated).

Activity-5

Collect three types of muscle slides (Striated muscles, Non-striated muscles, Cardiac muscles) from slide box. Then observe these under microscope. Write your findings in the following table.

| Sl.No | Striated muscles/ Characters | Non-striated muscles/ Characters | Cardiac muscles/ Characters |
|-------|---------------------------------|-------------------------------------|--------------------------------|
| | | | |

The movement of food in alimentary canal or the contraction and relaxation of blood vessels are involuntary. We can not really start them or stop them simply by wanting to do so. Smooth muscle or involuntary muscles control such movements. They are also found in the Iris of the eye, in uterus and in the bronchi of the lungs. The cells are long with pointed ends and having a single nucleus (uni nucleate). They are also called un striated muscle.

Can you tell why are they called as un striated muscle?

The muscles present in the heart are responsible for pumping of blood. The cells are long branched and have nuclei. Cells are joined to each other at their end. All the muscle cells in cardiac muscle have striations. Though it resembles the striated in its structure, it is an involuntary muscle.

Nervous cells

If you put your fingers in a glass of hot water, how do you feel?

How would you know the water is hot? Or cold? If you put your leg on a sharp edged stone while walking, how do you feel?

The feelings like the above situations is because of specialized mechanism in our body. It works like electric current passing through wires. Brain, spinal cord and nerves play active role in this mechanism.

Activity-6

Collect the slide of nerve cells from slide box. Then observe these under microscope. Write your findings

Nerve cells are the only cells in the body which do not have the ability of regeneration. These are very specialized cells. No two neurons or nerve cells in the nervous system have same appearance.

Cells of nervous system are highly specialized for transmitting the stimulus very rapidly from one place to another within the body. We can identify 3 distinct parts in nerve cells. They are 1. Cell body or cyton 2. Axon 3. Dendrites




Fig-17 Nerve cell

Cell body or cyton has a large nucleus and cytoplasm. The cytoplasm contains granular structure called Nissal's granules.

There are some projections arising from cell body. These are called dendrite. They are sharp, branched more in number. One projection of the cyton is somewhat

longer than remaining projects. This is called axon. Some nerve cells have axon covered with sheath like structure. This sheath called as myaline sheath. Nodes are called as Ranvier Nodes.

Axon of a nerve cell is connected with dendrites of a near by nerve cell to frame a web like structure throughout body.



Key words

Tissue, Epithelial tissue, Connective tissue, Insulator, Bone narrow, bone, cartilage, Connective tissue, Muscle tissue, Nerve tissue.



What we have learnt?

- Tissue is a group of cells similar in structure and functions.
- Animal tissues can be epithelial, connective, muscular and nervous tissue.
- Depending on shape and function, epithelial tissue is classified as squamous, cuboidal, columnar, ciliated and glandular.
- The blood consists plasma, RBC, WBC, Platelets.
- The different types of connective tissues in our body include areolar tissue, adipose tissue, bone, tendon, ligament, cartilage and blood.
- Striated, unstrained and cardiac are three types of muscle tissues.
- Nervous tissue is made of neurons that receive and conduct impulses.



Improve your learning

1. What do you understand by the term tissue? (AS1)
2. Show the difference between the three types of muscle fibres with diagrams. (AS3)
3. What is the specific function of the cardiac muscle? (AS1)
4. Differentiate between striated, unstriated and cardiac muscles on the basis of their structure and site / location in the body. (AS1)
5. Draw a labelled diagram of a neuron. (AS 3)
6. Name the following. (AS1)
 - a) Tissue that forms the inner lining of our mouth.
 - b) Tissue that connects muscle to bone in humans.
 - c) Tissue that transports food in animals.
 - d) Tissue that stores fat in our body.
 - e) Connective tissue present in the brain.
7. Identify the type of tissue in the following: skin, bone, lining of kidney tubule, vascular bundle. (AS1)
8. If the platelets are not present in the blood what happens? (AS2)
9. If you touch at elbow, you get a shock like feeling. Why? (AS 7)
10. The blood is also a fluid connective tissue but in the fluid form. Justify the statement.
11. Identify your blood group with help of kit? (AS 3)
12. Ramu felt weak. Ramu's father took him to hospital. The doctor advised a blood test. The report says that he does not have the required levels of haemoglobin. What are its ill effects? (AS 6)
13. Blood group of Koushik is O^{+ve} and Pranavi is B^{+ve} . Whom can they donate blood and why? (AS 1)